

Serial No. 10/824,937
60130-2055; 02MRA0437

AMENDMENT

IN THE CLAIMS:

1. (CURRENTLY AMENDED) A vehicle door module for a vehicle door having a door edge, the vehicle door module comprising:
a cable harness for running along the door edge; and
a seal for masking the cable harness along the door edge.
2. (CURRENTLY AMENDED) The door module according to claim 1, wherein the seal will secure~~secures~~ the cable harness along the door edge.
3. (ORIGINAL) The door module according to claim 1, wherein the cable harness is secured inside the seal.
4. (CURRENTLY AMENDED) The door module according to claim 1, wherein the cable harness and the seal are co-extruded.
5. (ORIGINAL) The door module according to claim 1, wherein the seal is molded over the cable harness.
6. (CURRENTLY AMENDED) The door module according to claim 1, wherein the cable harness is to be secured to the door edge.
7. (CURRENTLY AMENDED) The door module according to claim 1, further comprising a hollow box section and a window glass module projecting from the hollow box section, and wherein the cable harness is proximate to a region where the window glass module exits the hollow box section.
8. (CURRENTLY AMENDED) The door module according to claim 7, wherein the seal will secure~~secures~~ the cable harness along the door edge.

Serial No. 10/824,937
60130-2055; 02MRA0437

9. (ORIGINAL) The door module according to claim 7, wherein the cable harness is secured inside the seal.
10. (CURRENTLY AMENDED) The door module according to claim 7, wherein the cable harness and the seal are co-extruded.
11. (ORIGINAL) The door module according to claim 7, wherein the seal is molded over the cable harness.
12. (CURRENTLY AMENDED) The door module according to claim 7, wherein the cable harness is to be secured to the door edge.
13. (ORIGINAL) The door module according to claim 7, further comprising a retainer which retains the cable harness in the region where the window glass module exits the hollow box section.
14. (CURRENTLY AMENDED) A vehicle door module for a vehicle door having a door edge, the vehicle door module comprising:
_____ a cable harness for running along the door edge;
_____ a seal for masking the cable harness along the door edge;
_____ a hollow box section;
_____ a window glass module projecting from the hollow box section, wherein the cable harness is proximate to a region where the window glass module exits the hollow box section;
and
_____ a retainer which retains the cable harness in the region where the window glass module exits the hollow box section~~The door module according to claim 13, wherein the retainer is a~~
hook.
15. (ORIGINAL) The door module according to claim 13, wherein the retainer is a molding.

Serial No. 10/824,937
60130-2055; 02MRA0437

16. (CURRENTLY AMENDED) The door module according to claim 7, further comprising a trim, ~~and wherein~~ the cable harness is located between the trim and the hollow box section.

17. (CURRENTLY AMENDED) A vehicle door module for a vehicle door having a door edge, the vehicle door module comprising:

_____ a cable harness for running along the door edge;
_____ a seal for masking the cable harness along the door edge
_____ a hollow box section;
_____ a window glass module projecting from the hollow box section, wherein the cable harness is proximate to a region where the window glass module exits the hollow box section;
and
_____ a trim, wherein the cable harness is located between the trim and the hollow box section
~~and The door module according to claim 16, wherein the cable harness runs running behind the trim where the window glass module exits the hollow box section.~~

18. (CURRENTLY AMENDED) The door module according to claim 16, further comprising a motor and gear mechanism located between the trim and the hollow box section, ~~and wherein~~ the motor and gear mechanism is powered from the cable harness.

19. (NEW) The door module according to claim 1, wherein the seal is a molding.